

ANORA
lighting

Updated | 06 June 2025

-
PRODUCT CATALOGUE
2025



Anora Lighting (Foshan) Co.,Ltd.

No.18, Xingye 4th Road, Chencun Town, Foshan City, Guangdong, CHINA

<https://anoralighting.com>

Contact:

Nova, nova@anoralighting.com

Rita, rita@anoralighting.com

PROFESSIONAL READING EYE PROTECTION DESK LAMP

01

PROFESSIONAL EYE-FRIENDLY DESK LAMP

TO ENHANCE USER COMFORT, ANORA EMPLOYS PROPRIETARY TECHNOLOGY WITH ADVANCED FULLSPECTRUM LIGHT BEADS, HONEYCOMB PANELS, AND SIDE-EMITTING LIGHT SOURCES. THIS DESIGN DELIVERS SOFTER, MORE UNIFORM LIGHTING, PROMOTING SCIENTIFICALLY-OPTIMIZED EYE PROTECTION.



PROFESSIONAL READING EYE PROTECTION DESK LAMP



FULL-SPECTRUM EYE-PROTECTION DESK LAMP



WHITE



BLUE



BLACK



BI-1841T

- FULL SPECTRUM LIGHT SOURCE
- REST REMINDER WITH COUNTDOWN DISPLAY
- BRIGHTNESS LEVEL INDICATOR
- LCD DISPLAY OF TIME
- THREE COLOR TEMPERATURE ADJUSTMENT
- ROTATING STEPLESS DIMMING

POWER:12W
 VOLTAGE: AC 100-240V (INPUT) / DC 12V (OUTPUT)
 COLOR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MLUMINOUS FLUX: 550 LM (MAX)
 CRI: ≥97A

MULTI-FUNCTIONAL FULL-SPECTRUM EYE-PROTECTION
DESK LAMP



•METAL-FINISH COLOR TEMP BUTTON



•DISPLAY COUNTDOWN FOR
REST REMINDER



• SLIDING DIMMING

BI-1841

POWER:12W
VOLTAGE: AC 100-240V, DC12V
CCT (COLOUR TEMPERATURE):
3000K-3800K-5700K (±300K)
LUMEN: MAXIMUM 650 lm
CRI:≥90a

- FULL SPECTRUM LIGHT SOURCE
- SLIDING DIMMER
- WITH NIGHT LIGHT INDICATOR FUNCTION
- THREE COLOR TEMPERATURE ADJUSTMENT
- NO BLUE LIGHT, NO FLICKER



WHITE



BLUE



BLACK

BI-1311T

- TIME LCD DISPLAY
- DELAY-OFF TIMER DISPLAY
- TOUCH STEPLESS DIMMING
- WITH PEN HOLDER
- 3-COLOR TEMPERATURE ADJUSTMENT
- ANTI-GLARE SOFT LIGHT SOURCE

POWER:12W
 VOLTAGE: AC 100-240V, DC12V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUN 530
 CRI: ≥90a



WHITE



BLUE

INTELLIGENT EYE PROTECTION DESK LAMP



- WITH PEN HOLDER
- TIME LCD DISPLAY

NEWLY UPGRADED LIGHT SOURCE



SD LIGHTING SOURCE THE DESK LAMP



BI-1311



- TRANSPARENT PEN HOLDER DESIGN
- DISPLAY WITH TIME

- MIRROR SEMI TRANSPARENT LUMINOUS MODE



BI-1311



WHITE



BLUE

BI-1311

- USING MIRROR TRANSLUCENT OPTICAL LAMPSHADE
- BI-DIRECTIONAL LIGHTING DESIGN (WORKSPACE + AMBIENT ILLUMINATION)
- LCD DISPLAY OF TIME
- INTEGRATED PEN HOLDER
- 3-COLOR TEMPERATURE ADJUSTMENT
- EDGE LIGHTING SYSTEM

POWER:12W

VOLTAGE: AC 100-240V, DC12V

COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)

LUMEN: MAXIMUM 550

CRI: ≥97a

USB INTELLIGENT MULTIFUNCTIONAL EYE PROTECTION DESK LAMP

BI-1239U



LED ILLUMINATED TOUCH BUTTONS•



USB CHARGING BUTTONS•

BI-1239U(USB CHARGING IS OPTIONAL)

- USB CHARGING PORT (OPTIONAL)
- DELAYED AUTO-OFF
- REST REMINDER FUNCTION FOR LONGTIME READING
- 3-COLOR TEMPERATURE ADJUSTMENT
- TOUCH-ACTIVATED STEPLESS DIMMING
- SIDE PANEL LIGHTING SOURCE

POWER:10W

VOLTAGE: AC 100-240V, DC12V

COLOUR TEMPERATURE: 2800K-3800K-5700K (±300K)

LUMEN: MAXIMUN 600

CRI: ≥90a



WHITE



METALLIC GREY



BLACK

INTELLIGENT MULTIFUNCTIONAL EYE PROTECTION
DESK LAMP



BI-1239 (WITHOUT USB-PORT)


- DELAY AUTO-OFF
- SIDE-EMITTING PANEL + ANTI-GLARE SOFT LIGHT
- 3-COLOR TEMPERATURE ADJUSTMENT
- SIDE-EMITTING LIGHT SOURCE
- TOUCH-SENSITIVE STEPLESS DIMMING

POWER: 10W
 VOLTAGE: AC 100-240V, DC12V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 600
 CRI: ≥90a



PROFESSIONAL READING EYE PROTECTION DESK LAMP





- INTELLIGENT ADJUSTABLE LIGHT BAR WITH SLIDING DIMMING CONTROL

BI-1237

POWER:10W
 VOLTAGE: AC 100-240V, DC 5V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 400
 CRI: ≥80a

- SIDE-EMITTING PANEL LIGHTING
- SLIDE-TO-ADJUST STEPLESS DIMMING
- SMART REST REMINDER
- MULTI-COLOR LED STATUS INDICATOR



PROFESSIONAL READING EYE PROTECTION DESK LAMP



WHITE



BLUE



BLACK



WITH A 1500MA RECHARGEABLE BATTERY, IT CAN BE USED FOR APPROXIMATELY 30 HOURS IN LOW BRIGHTNESS MODE WHEN FULLY CHARGED



WHITE



YELLOW



BLUE

BI-1301L

POWER:10W
 VOLTAGE: AC 100-240V, DC 5V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 400
 CRI: ≥80a

- EMERGENCY CHARGING
- INTEGRATED PEN HOLDER
- LUMINOUS PHONE MOUNT
- DETACHABLE RECHARGEABLE BATTERY
- 3-COLOR TEMPERATURE ADJUSTMENT
- SIDE-EMITTING LIGHT SOURCE
- TOUCH-CONTROLLED STEPLESS DIMMING



WHITE

YELLOW

BLUE

BI-1303L

- EMERGENCY CHARGING
- INTEGRATED PEN HOLDER
- LUMINOUS PHONE MOUNT
- 3-COLOR TEMPERATURE ADJUSTMENT
- SIDE-EMITTING LIGHT SOURCE
- TOUCH-CONTROLLED STEPLESS DIMMING

POWER:10W
 VOLTAGE: AC 100-240V, DC 5V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 400
 CRI: ≥80a



EQUIPPED WITH 1500MAH RECHARGEABLE BATTERY: PROVIDES UP TO 30H OPERATION AT LOW BRIGHTNESS WHEN FULLY CHARGED

BI-1825

- ADJUSTABLE LED NIGHT LIGHT
- 3-COLOR TEMPERATURE ADJUSTMENT
- SIDE-EMITTING PANEL LIGHTING
- DUAL-MODE DIMMING SYSTEM

POWER:10W
 VOLTAGE: AC 100-240V, DC12V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 530
 CRI: ≥90a



WHITE

PINK

BLUE



- ADJUSTABLE LED NIGHT LIGHT





••WALL-MOUNTED DUAL-MODE DESK LAMP WITH PRO DIMMING SYSTEM



MULTI PURPOSE LED EYE PROTECTION DESK LAMP

BI-1153

- POWER:10W
- VOLTAGE: AC100-240V, DC12V
- COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
- LUMEN: MAXIMUM 530
- COLOR RENDERING INDEX (CRI): ≥90a
- HREE COLOR TEMPERATURE ADJUSTMENT
- SIDE PANEL LIGHTING
- MULTI-FUNCTIONAL LED TABLE LAMP
- TOUCH DUAL DIMMING



WHITE



BLUE



BLACK

BI-1056

- TOUCH-CONTROLLED STEPLESS DIMMING
 - INTEGRATED LED NIGHT LIGHT
 - DELAY AUTO-OFF FUNCTION
 - 3-COLOR TEMPERATURE ADJUSTMENT
 - SIDE-EMITTING LIGHT SOURCE
- POWER:10W
 VOLTAGE: DC 5V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 400
 COLOR RENDERING INDEX (CRI):≥80a



WHITE



BLUE



BLACK

02

BUSINESS EYE PROTECTION DESK LAMP

HIGH END BUSINESS EYE PROTECTION DESK LAMP,
UNIQUE NOT ONLY IN ITS FASHIONABLE
AND ELEGANT DESIGN
MORE IMPORTANTLY, ITS ULTIMATE CARE FOR THE EYES
ADOPTING ADVANCED EYE PROTECTION TECHNOLOGY TO EFFECTIVELY REDUCE
THE DAMAGE OF SCREEN BLUE LIGHT TO THE EYES
CREATING A COMFORTABLE READING AND WORKING ENVIRONMENT FOR YOU

BUSINESS SERIES



MIRROR MULTI FUNCTIONAL EYE PROTECTION DESK LAMP
(SEMI TRANSPARENT FULL AREA STEREOSCOPIC LIGHT SOURCE)



- 180° HORIZONTAL LAMPSHADE ROTATION
- INTEGRATED LED NIGHT LIGHT



- PEN HOLDER
- TIME DISPLAY



- MAKE UP MIRROR



WHITE



GEMSTONE GREY

BI-1304

- TIME DISPLAY
- 3-COLOR TEMPERATURE ADJUSTMENT
- ANTI-GLARE DIFFUSED LIGHT OUTPUT
- TOUCH-CONTROLLED STEPLESS DIMMING
- PEN HOLDER


POWER: 12W

VOLTAGE: DC 12V

COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)

LUMEN: MAXIMUM 530

COLOR RENDERING INDEX (CRI): ≥90a





•180° HORIZONTAL
LAMP SHADE
ROTATION



•PEN HOLDER



•LED NIGHT LIGHT

BI-1304N

- PEN HOLDER
- LED NIGHT LIGHT
- 3-COLOR TEMPERATURE ADJUSTMENT
- ANTI-GLARE DIFFUSED LIGHT OUTPUT
- TOUCH-CONTROLLED STEPLESS DIMMING

POWER:12W
 VOLTAGE: DC 12V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUN 530
 COLOR RENDERING INDEX (CRI): ≥90a



WHITE



BLUE



BLACK



• 180° HORIZONTAL
LAMP SHADE
ROTATION
• LED NIGHT LIGHT



• PEN HOLDER
• TIME DISPLAY



•MAKE UP MIRROR



WHITE



GEMSTONE GREY

BI-1304T


- TIME DISPLAY
- PEN HOLDER
- LED NIGHT LIGHT
- 3-COLOR TEMPERATURE ADJUSTMENT
- ANTI-GLARE DIFFUSED LIGHT OUTPUT
- TOUCH-CONTROLLED STEPLESS DIMMING

POWER:12W
 VOLTAGE: DC 12V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUN 530
 COLOR RENDERING INDEX (CRI): ≥90A

BUSINESS STYLE EYE PROTECTION DESKLAMP


DESIGN

DIFFERENT FROM REGULAR DESK LAMPS,
THIS BUSINESS-STYLE EYE PROTECTION DESK LAMP EMPHASIZES
A HUMAN-CENTERED DESIGN. ITS SIMPLE AND FASHIONABLE
APPEARANCE NOT ONLY STANDS OUT ON YOUR WORK TABLE BUT
ALSO REFLECTS YOUR TASTE.



MINIMALIST DESIGN WITH SCULPTURAL SILHOUETTE:
SEAMLESSLY INTEGRATES INTO ANY OFFICE SPACE.
MERGING FUNCTIONAL ELEGANCE AND PERSONAL
STYLE FOR SOPHISTICATED BUSINESS AESTHETICS.

INTELLIGENT BUSINESS EYE PROTECTION COMPUTER DESK LAMP



- MULTI-PURPOSE LAMP CLAMP
- DIGITAL TIME DISPLAY SCREEN



SILVER



METALLIC GREY

BI-1321 (WITH LAMP BASE)

- TIME DISPLAY
- DOUBLE DIMMING
- DELAYED LIGHT OFF
- 3-COLOR TEMPERATURE ADJUSTMENT
- SIDE PANEL LIGHTING

POWER:12W
 VOLTAGE:DC 12V
 COLOUR TEMPERATURE: 2800K-3700K-5700K (±300K)
 LUMEN: MAXIMUM 700
 COLOR RENDERING INDEX (CRI):≥80a



SILVER



METALLIC GREY

BI-1321D (WITH LAMP CLAMP)

- TIME DISPLAY
- DOUBLE DIMMING
- DELAYED LIGHT OFF
- 3-COLOR TEMPERATURE ADJUSTMENT
- SIDE PANEL LIGHTING

POWER:12W
 VOLTAGE:DC 12V
 COLOUR TEMPERATURE: 2800K-3700K-5700K (±300K)
 LUMEN: MAXIMUM 700
 COLOR RENDERING INDEX (CRI):≥80a

BUSINESS COMPUTER MULTIFUNCTIONAL EYE PROTECTION DESK LAMP



- MULTI-PURPOSE LAMP CLAMP
- DIGITAL TIME DISPLAY SCREEN



SILVER



METALLIC GREY



SILVER



METALLIC GREY

BI-1821 (WITH LAMP BASE)

- TOUCH-CONTROLLED STEPLESS DIMMING
- THREE COLOR TEMPERATURE
- SIDE PANEL LIGHTING

POWER:12W

VOLTAGE:DC 12V

COLOUR TEMPERATURE: 2800K-3700K-5700K (±300K)

LUMEN: MAXIMUN 700

COLOR RENDERING INDEX (CRI):≥80a

BI-1821D (WITH LAMP CLAMP)

- TOUCH-CONTROLLED STEPLESS DIMMING
- THREE COLOR TEMPERATURE
- SIDE PANEL LIGHTING

POWER:12W

VOLTAGE:DC 12V

COLOUR TEMPERATURE: 2800K-3700K-5700K (±300K)

LUMEN: MAXIMUN 700

COLOR RENDERING INDEX (CRI):≥80a



BUSINESS MULTIFUNCTIONAL EYE PROTECTION DESK LAMP



•METAL-PLATED RING KNOB



• DIGITAL DISPLAY BRIGHTNESS
• TIME DISPLAY

BI-1157

- TIME DISPLAY & DIGITAL BRIGHTNESS
- OFF DELAY
- 3-COLOR TEMPERATURE ADJUSTMENT
- ROTATING STEPLESS DIMMING
- ANTI-GLARE,SOFT LIGHT

POWER:12W

VOLTAGE: DC 12V

COLOUR TEMPERATURE: 2800K-3700K-5700K (±300K)

LUMEN: MAXIMUN 560

COLOR RENDERING INDEX (CRI): ≥90a



BRUSHED SLIVER



METALLIC GREY





•METAL TEXTURED
SUSPENDED LARGE KNOB

•LONGTIME READING REST
REMINDER

BI-1167

- DELAYED LIGHT OFF
- LONGTIME READING WITH REST REMINDER
- 3-COLOR TEMPERATURE ADJUSTMENT
- SIDE PANEL LIGHTING,ANTI GLARE SOFT LIGHT
- ANTI GLARE SOFT LIGHT

POWER:12W
VOLTAGE: DC 12V
COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
LUMEN: MAXIMUM 560
COLOR RENDERING INDEX (CRI): ≥90a



BRUSHED SILVER



METALLIC GREY

BI-1167P (WITH TIME DISPLAY)

- TIME DISPLAY
- 3-COLOR TEMPERATURE ADJUSTMENT
- SIDE PANEL LIGHTING,ANTI GLARE SOFT LIGHT
- ANTI GLARE SOFT LIGHT

POWER:10W
VOLTAGE: DC 5V
COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
LUMEN: MAXIMUM 400
COLOR RENDERING INDEX (CRI): ≥80a



•METAL-PLATED RING KNOB



BRUSHED SILVER



METALLIC GREY



WHITE



METALLIC GREY



BLACK



PROFESSIONAL READING
EYE PROTECTION DESK LAMP

BI-1235

- TIME DISPLAY
- LONGTIME READING REST REMINDER
- LED NIGHT LIGHT
- 3-COLOR TEMPERATURE ADJUSTMENT
- LDE PANEL LIGHTING,ANTI GLARE SOFT LIGHT
- TOUCHABLE STEPLESS DIMMING

POWER:10W
VOLTAGE: DC 5V
COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
LUMEN: MAXIMUN 400
COLOR RENDERING INDEX (CRI): ≥80a



• VISUALIZED TIME



•LED NIGHT LIGHT



BI-1131C QI WIRELESS CHARGING FUNCTION



WHITE



METALLIC GREY



BLACK

- DELAYED LIGHT
- WIRELESS CHARGING
- 3-COLOR TEMPERATURE ADJUSTMENT
- SIDE PANEL LIGHTING
- TOUCH STEPLESS DIMMING

POWER:10W
VOLTAGE: DC 12V
COLOUR TEMPERATURE: 2800K-3700K-5700K (±300K)
LUMEN: MAXIMUN 480
COLOR RENDERING INDEX (CRI): ≥90a



WHITE

METALLIC GREY

BLACK



BI-1131(BASIC VERSION)

- DELAYED LIGHT OFF
- 3-COLOR TEMPERATURE ADJUSTMENT
- SIDE PANEL LIGHTING
- TOUCH STEPLESS DIMMING

POWER:10W
 VOLTAGE: DC 12V
 COLOUR TEMPERATURE: 2800K-3700K-5700K (±300K)
 LUMEN: MAXIMUM 480
 COLOR RENDERING INDEX (CRI): ≥90a



- METAL TEXTURED
- SUSPENDED LARGE KNOB



BUSINESS MULTIFUNCTIONAL EYE PROTECTION DESK LAMP



WHITE

GEMSTONE GREY

BI-1892T

- TIME DISPLAY
- SIDE EMITTING LIGHT SOURCE
- 3-COLOR TEMPERATURE ADJUSTMENT
- ANTI-GLARE SOFT LIGHT SOURCE
- TOUCH STEPLESS DIMMING

POWER:12W
 VOLTAGE: DC 12V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 620
 COLOR RENDERING INDEX (CRI): ≥90a

03

AI MULTIFUNCTIONAL INTELLIGENT EYE PROTECTION DESK LAMP SERIES

AI-POWERED EYE COMFORT SYSTEM: AUTO-ADJUSTS BRIGHTNESS & COLOR TEMPERATURE (3000-5000K).

ADVANCED ANTI-BLUE LIGHT + FLICKER-FREE TECHNOLOGY REDUCES EYE STRAIN BY 41% *. ERGONOMIC POSTURE ALERT & TIMER PREVENT VISUAL FATIGUE. IDEAL FOR WORK/STUDY ENVIRONMENTS.



AI MULTIFUNCTIONAL INTELLIGENT EYE PROTECTION DESK LAMP SERIES

HUMAN BODY SENSING INTELLIGENT EYE PROTECTION DESK LAMP



ANORA

BUSINESS EYE PROTECTION DESK LAMP

- 120° OMNI-DIRECTIONAL ROTATION
- DUAL-SENSOR HUMAN PRESENCE DETECTION (PIR + mmWAVE RADAR)



WHITE

METALLIC GREY

BLACK

BI-1267 (MOTION SENSOR)

- HUMAN PRESENCE DETECTION TECHNOLOGY
- SMART REST REMINDER FOR PROLONGED READING
- AUTO-DIMMING NIGHT LIGHT
- 3-COLOR TEMPERATURE ADJUSTMENT
- DUAL-ZONE DIMMING SYSTEM

POWER: 12W

VOLTAGE: DC 12V

COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)

LUMEN: MAXIMUM 550

COLOR RENDERING INDEX (CRI): ≥80a

BI-1237M INTELLIGENT AUTO-ADJUSTING LIGHTING



WHITE

BLACK



- AUTOMATIC LIGHT SENSING
- READING REST REMINDER
- 3-COLOR TEMPERATURE ADJUSTMENT
- ANTI-GLARE SOFT LIGHT SOURCE
- TOUCH DIMMING

POWER:10W

VOLTAGE: AC 100-240V, DC12V

COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)

LUMEN: MAXIMUN 480

COLOR RENDERING INDEX (CRI): ≥90a



•LED LUMINOUS TOUCH BUTTON



INTELLIGENT AUTO-ADJUSTING LIGHTING EYE-CARE DESK LAMP

INTELLIGENT VOICE MULTIFUNCTIONAL EYE PROTECTION DESK LAMP

**BI-1267V (INTELLIGENT VOICE CONTROL)**

- INTELLIGENT VOICE CONTROL
- LONGTIME READING REST REMINDER
- LED NIGHT LIGHT
- TOUCH STEPLESS DIMMING
- 3-COLOR TEMPERATURE ADJUSTMENT
- DOUBLE DIMMING FUNCTION


POWER:12W

VOLTAGE: DC 12V

COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)

LUMEN: MAXIMUM 550

COLOR RENDERING INDEX (CRI): ≥80a



• LED NIGHTLIGHT
SPEECH RECOGNITION LAMPPOST

PROFESSIONAL READING EYE PROTECTION DESK LAMP

INTELLIGENT BLUETOOTH SPEAKER EYE-CARE DESK LAMP



WHITE

BLUE

BLACK

BI-1136B

- INTELLIGENT BLUETOOTH SPEAKER
- SIDE PANEL LIGHTING, ANTI GLARE SOFT LIGHT
- LED NIGHTLIGHT
- THREE COLOR TEMPERATURE
- DOUBLE DIMMING FUNCTION

POWER: 112W
 VOLTAGE: DC 12V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 650
 COLOR RENDERING INDEX (CRI): ≥80A



• INTELLIGENT BLUETOOTH SPEAKER



BI-1217 (GESTURE SENSOR CONTROL)

INTELLIGENT GESTURE-CONTROLLED EYE-CARE DESK LAMP

- GESTURE-SENSING CONTROL SYSTEM
- 3-COLOR TEMPERATURE ADJUSTMENT
- TOUCH-CONTROLLED STEPLESS DIMMING


POWER: 10W
 VOLTAGE: DC 12V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 650
 COLOR RENDERING INDEX (CRI): ≥80a



SILVER

GOLD

BLACK



• VISUAL CONTROL BUTTONS

• GESTURE SENSING CONTROL

• PLATFORM CLAMP DUAL-USE


INTELLIGENT GESTURE-CONTROLLED EYE-CARE DESK LAMP



BI-1216 (GESTURE SENSOR CONTROL)

- GESTURE-SENSING CONTROL SYSTEM
- 3-COLOR TEMPERATURE ADJUSTMENT
- TOUCH-CONTROLLED STEPLESS DIMMING

POWER:10W
 VOLTAGE: DC 12V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 650
 COLOR RENDERING INDEX (CRI): ≥80a



•GESTURE-SENSING CONTROL PLATFORM •DUAL-MOUNTING CLAMP SYSTEM



INTELLIGENT MULTIFUNCTIONAL EYE PROTECTION
DESK LAMP



62



- METAL ELECTROPLATED ROTARY RING
- ILLUMINATED BRIGHTNESS LEVEL INDICATOR

63

INTELLIGENT MULTIFUNCTIONAL EYE PROTECTION
DESK LAMP



- PROGRAMMABLE REST REMINDER TIMER
(2-60 MINUTE RANGE)

PRODUCT CATALOGUE 2025



WHITE



YELLOW



GEMSTONE GREY

BI-1305

- LUMINOUS BRIGHTNESS BAR DISPLAYS REST REMINDER COUNTDOWN
- DISPLAY BRIGHTNESS VALUE
- WITH TIME DISPLAY
- 3-COLOR TEMPERATURE ADJUSTMENT
- SIDE PANEL LIGHTINGSOURCE
- ROTATING STEPLESS DIMMING

POWER:12W

VOLTAGE: DC 12V

COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)

LUMEN: MAXIMUM 650

COLOR RENDERING INDEX (CRI): ≥90a



INTELLIGENT AI ROBOT EYE PROTECTION DESK LAMP

INTELLIGENT AI ROBOT EYE PROTECTION DESK LAMP

BI-1618 (AI ROBOT)

- 3-COLOR TEMPERATURE ADJUSTMENT
- 3-STEP DIMMING CONTROL
- MULTI-STATUS LED INDICATOR
- SIDE-EMITTING ANTI-GLARE DIFFUSED LIGHT

POWER:8W
 VOLTAGE: DC 12V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 400
 COLOR RENDERING INDEX (CRI): ≥80a



WHITE



PIINK



BLACK




•LIGHT EMITTING DIODE

04

MULTI FUNCTIONAL AND MULTI SCENE
AMBIENT LIGHT

CHROMATIC RHYTHM, LUMINOUS MELODY: SMART BLUETOOTH SPEAKER WITH IMMERSIVE AMBIENT LIGHTING. FEATURING FULLSPECTRUM AUDIO & INTELLIGENT LIGHT-SYNC TECHNOLOGY – TRANSFORMING SOUND INTO VISUAL SYMPHONY. ELEVATE YOUR SPACE WITH HEALING AUDIO-VISUAL HARMONY



MULTI PURPOSE LED EYE PROTECTION DESK LAMP



WHITE


YELLOW



•HI-FI STEREO PLAYBACK SYSTEM

INTELLIGENT AI ROBOT EYE PROTECTION DESK LAMP

COLORFUL COLOR CHANGING NIGHT LIGHT MODE



•BEAR-SHAPED NIGHT LIGHT

• FABRIC TIME DISPLAY

BI-1552 (BEAR NIGHT LIGHT)

- INTELLIGENT BLUETOOTH AUDIO SYSTEM
- BEAR-SHAPED NIGHT LIGHT
- HI-FI STEREO PLAYBACK SYSTEM
- ACOUSTIC SPACE OPTIMIZATION
- SIDE-EMITTING ANTI-GLARE DIFFUSED LIGHT
- 3-COLOR TEMPERATURE ADJUSTMENT
- DUAL-ZONE DIMMING SYSTEM

POWER:12W
 VOLTAGE: DC 12V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 650
 COLOR RENDERING INDEX (CRI):≥80a

MULTI PURPOSE LED EYE PROTECTION DESK LAMP

BI-1552C (QI WIRELESS CHARGER)

- HI-FI STEREO PLAYBACK SYSTEM
- ADAPTIVE ACOUSTIC SPACE OPTIMIZATION
- INTEGRATED TIME DISPLAY
- 5-CHANNEL DYNAMIC LIGHTING MODES
- WiFi-CONNECTED LED NIGHT LIGHT
- QI-WIRELESS CHARGER

POWER:10W
 VOLTAGE: DC 5V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 400
 COLOR RENDERING INDEX (CRI): ≥80a



WHITE



YELLOW



•HI-FI NICAM PLAY SYSTEM



•WITH DISPLAY OF TIME



•QI WIRELESS CHARGER



INTELLIGENT AI ROBOT EYE PROTECTION DESK LAMP

MULTI PURPOSE LED EYE PROTECTION DESK LAMP



PROFESSIONAL READING EYE PROTECTION DESK LAMP

COLORFUL COLOR CHANGING NIGHT LIGHT MODE



WHITE YELLOW

MULTI PURPOSE LED EYE PROTECTION DESK LAMP



•HI-FI STEREO PLAYBACK SYSTEM


BI-1551C (QI WIRELESS CHARGER)

- HI-FI STEREO PLAYBACK SYSTEM
- ADAPTIVE ACOUSTIC SPACE OPTIMIZATION
- INTEGRATED TIME DISPLAY
- 5-CHANNEL DYNAMIC LIGHTING MODES
- WiFi-CONNECTED LED NIGHT LIGHT

POWER: 10W
 VOLTAGE: DC 12V
 COLOUR TEMPERATURE: 2800K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 600
 COLOR RENDERING INDEX (CRI): ≥90a



•WITH TIME DISPLAY



•QI WIRELESS CHARGER

MULTI PURPOSE LED EYE PROTECTION DESK LAMP



•WITH TIME DISPLAY

• LED NIGHT LIGHT

BI-1551 (CARTOON NIGHT LIGHT)

- HI-FI STEREO PLAYBACK SYSTEM
- ADAPTIVE ACOUSTIC OPTIMIZATION
- LED NIGHT LIGHT
- INTEGRATED TIME DISPLAY
- FIVE TYPES OF COLORFUL LIGHT MODES

POWER:10W
 VOLTAGE:DC 5V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUN 530
 COLOR RENDERING INDEX (CRI): ≥80a



WHITE


YELLOW

COLORFUL COLOR CHANGING NIGHT LIGHT MODE




•HI-FI NICAM PLAY SYSTEM

LIFE'S MODERN CANVAS DEMANDS ELEGANT LIGHTING. AMBIENT ILLUMINATION TRANSCENDS FUNCTION - SEAMLESSLY ADAPTING TO WORK, RELAXATION & ENTERTAINMENT SCENARIOS. SCENE-ADAPTIVE DESIGN:ONE SYSTEM, INFINITE POSSIBILITIES.



RECHARGEABLE MULTIPURPOSE MAGNETIC DESK LAMP

THE MODULAR MAGNETIC LAMP: REDEFINING VERSATILE LIGHTING. ADAPTS TO 7 SCENARIOS - BEDROOM, STUDY, LIVING ROOM, CLOSET, HALLWAY, CAMPING & EMERGENCY - WITH MAGNETIC MOUNTING TECHNOLOGY.



•BEDHEAD WALL LAMP MODE



•LED NIGHT LIGHT



•EMERGENCY FLASHLIGHT MODE



•BOOKCASE/WARDROBE HANGING LIGHT MODE

BI-1005

- LED NIGHT LIGHT
- ADJUSTABLE HEIGHT LIGHTING SYSTEM
- MULTI-SCENARIO ADAPTIVE LIGHTING
- 3-LEVEL COLOR TEMPERATURE CONTROL
- DIFFUSED ANTI-GLARE LIGHTING

POWER:6W

VOLTAGE: AC220-240V, DC 5V

COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)

LUMEN: MAXIMUM 330

COLOR RENDERING INDEX (CRI): ≥80a



WHITE



BIUE



BLACK

RECHARGEABLE MULTIPURPOSE MAGNETIC DESK LAMP



WHITE



BLUE



BLACK

BI-1008

- LED NIGHT LIGHT
- MULTI-SCENARIO ADAPTIVE LIGHTING
- ADJUSTABLE HEIGHT SYSTEM
- 3-LEVEL COLOR TEMPERATURE CONTROL
- DIFFUSED ANTI-GLARE LIGHTING
- TOUCH-CONTROLLED STEPLESS DIMMING SYSTEM

POWER:6W
 VOLTAGE: AC220-240V, DC 5V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 330
 COLOR RENDERING INDEX (CRI): ≥80a



•WALL MOUNTED LIGHT MODE



•LED NIGHT LIGHT



• EMERGENCY FLASHLIGHT MODE

RECHARGEABLE MULTIPURPOSE MAGNETIC DESK LAMP

BI-1017

- LED NIGHT LIGHT
- MULTI-SCENARIO ADAPTIVE LIGHTING
- ADJUSTABLE HEIGHT SYSTEM
- 3-LEVEL COLOR TEMPERATURE
- DIFFUSED ANTI-GLARE LIGHTING
- TOUCH-CONTROLLED STEPLESS DIMMING SYSTEM

POWER:6W
 VOLTAGE:AC220-240V, DC 5V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 330
 COLOR RENDERING INDEX (CRI): ≥80a



WHITE



BLUE



BLACK



•WALL MOUNTED LIGHT MODE



•LED NIGHT LIGHT



• EMERGENCY FLASHLIGHT MODE



BI-1001

- LED NIGHT LIGHT
- MULTI-SCENARIO ADAPTIVE LIGHTING
- DUAL-ZONE INDEPENDENT CONTROL SYSTEM
- VANITY MIRROR LIGHTING SYSTEM
- ADJUSTABLE HEIGHT STRUCTURE
- SCALABLE LAMPPOST
- 3-LEVEL COLOR TEMPERATURE
- DIFFUSED ANTI-GLARE LIGHTING
- TOUCH-CONTROLLED STEPLESS DIMMING

POWER:8W
 VOLTAGE: DC 5V
 COLOUR TEMPERA TURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUN 650
 COLOR RENDERING INDEX (CRI): ≥80a



•MULTI PURPOSE MAGNETIC ATTRACTION STRUCTURE



•TPYE C CHARGING INTERFACE


RECHARGEABLE MULTIPURPOSE MAGNETIC DESK LAMP - SUPER LONG ENDURANCE LAMP



•BEAUTY LAMP MODE



•READING DESK LAMP MODE



•BEDHEAD NIGHT LIGHT MODE



•HANDHELD FLASHLIGHT MODE



EQUIPPED WITH 1500MAH RECHARGEABLE BATTERY: PROVIDES UP TO 30H OPERATION AT LOW BRIGHTNESS WHEN FULLY CHARGED



•READING DESK LAMP MODE



•SPOTLIGHT FLASHLIGHT MODE



• FILL LIGHT MODE



RECHARGEABLE MULTIPURPOSE MAGNETIC DESK LAMP - SUPER LONG ENDURANCE LAMP



•MULTI PURPOSE MAGNETIC ATTRACTION STRUCTURE



• TPYE C CHARGING INTERFACE
• RECHARGEABLE BATTERY ON/OFF



WHITE



GREY



BLACK

BI-1021

- 3-LEVEL COLOR TEMPERATURE
- DIFFUSED ANTI-GLARE LIGHTING
- TOUCH-CONTROLLED STEPLESS DIMMING
- ADJUSTABLE HEIGHT SYSTEM


POWER:8W

VOLTAGE: DC 5V

COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)

LUMEN: MAXIMUN 530

COLOR RENDERING INDEX (CRI): ≥80a



•METAL LAMP POST CAN BE EXTENDED AND ADJUSTED



05

BESTSELLING CLASSIC SERIES

THE BEST-SELLING CLASSIC SERIES: PERFECTION IN DESIGN, RIGOROUS QUALITY CONTROL. CRAFTED FROM PREMIUM MATERIALS WITH EXQUISITE WORKMANSHIP FOR ENDURING PERFORMANCE. WHETHER DURABILITY OR FUNCTIONALITY, IT DELIVERS PEACE OF MIND AND DELIGHTFUL EXPERIENCE.

BESTSELLING CLASSIC SERIES




BUSINESS COLORFUL ATMOSPHERE
DESK LAMP



BI-1063 (ROTATING STEPLESS DIMMING)

- ROTARY STEPLESS DIMMING CONTROL
- AMBIENT LIGHTING SYSTEM
- 3-LEVEL COLOR TEMPERATURE ADJUSTMENT
- INTEGRATED USB CHARGING PORT

POWER:10W
VOLTAGE: AC100-240V, DC13.5V
COLOUR TEMPERATURE: 3000K-4000K-6500K
LUMEN: MAXIMUM 480
COLOR RENDERING INDEX (CRI): ≥80a



- HIGH END SILI-
CONE HOSE
- HIGH END
SILICONE HOSE
- MULTI COLORED
AMBIENT LIGHT

BUSINESS DESK LAMP

BI-1207

- MULTI-AXIS ADJUSTMENT SYSTEM
- 3-LEVEL COLOR TEMPERATURE ADJUSTMENT
- TOUCH-CONTROLLED STEPLESS DIMMING

POWER: 10W
VOLTAGE: AC100-240V, DC12V
COLOUR TEMPERATURE: 2800K-4000K-6000K (±300K)
LUMEN: MAXIMUM 530
COLOR RENDERING INDEX (CRI): ≥80a



•多向夹子



HIGH END MULTI-MODE BUSINESS DESK LAMP



SLIVER

GOLD

BLIACK



BI-1293

- MULTI-DIRECTIONAL ADJUSTMENT SYSTEM
- MULTI-LEVEL COLOR TEMPERATURE CONTROL
- TOUCH-CONTROLLED STEPLESS DIMMING
- MULTI-STATUS LED INDICATOR

POWER:10W
 VOLTAGE: AC100-240V, DC13.5V
 COLOUR TEMPERATURE: 3000K-4000K-6500K
 LUMEN: MAXIMUN 480
 COLOR RENDERING INDEX (CRI): ≥80a

•MULTI MODE REGULATION



• LEISURE MODE / WORKING MODE / READING MODE

HIGH END MULTI-MODE BUSINESS EYE PROTECTION DESK LAMP

BI-1295

- MULTI-DIRECTIONAL ADJUSTMENT SYSTEM
- MULTI-LEVEL COLOR TEMPERATURE CONTROL
- TOUCH-CONTROLLED STEPLESS DIMMING
- MULTI-STATUS LED INDICATOR

POWER:10W
 VOLTAGE: AC100-240V, DC13.5V
 COLOUR TEMPERATURE: 3000K-4000K-6500K
 LUMEN: MAXIMUN 480
 COLOR RENDERING INDEX (CRI): ≥80a



•ALUMINUM
 ALLOY WIRE DRAWING PROCESS

•MULTI MODE REGULATION



• LEISURE MODE / WORKING MODE / READING MODE



SLIVER

BLACK

MULTI MODE ADJUSTABLE DESK LAMP



SLIVER

GOLD

BLIACK



• DIMMING SLIDER



• MULTI MODE REGULATION

• LEISURE MODE / WORKING MODE / READING MODE

BI-1223

- MULTI-DIRECTIONAL ADJUSTMENT SYSTEM
- MULTI-LEVEL COLOR TEMPERATURE CONTROL
- TOUCH-CONTROLLED STEPLESS DIMMING
- MULTI-STATUS LED INDICATOR

POWER:10W
 VOLTAGE: AC100-240V, DC13.5V
 COLOUR TEMPERATURE: 3000K-4000K-6500K
 LUMEN: MAXIMUM 480
 COLOR RENDERING INDEX (CRI): ≥80a

MULTI MODE ADJUSTABLE DESK LAMP

BI-1221

- MULTI-DIRECTIONAL ADJUSTMENT SYSTEM
- MULTI-LEVEL COLOR TEMPERATURE CONTROL
- TOUCH-CONTROLLED STEPLESS DIMMING
- MULTI-STATUS LED INDICATOR

POWER:10W
 VOLTAGE: AC100-240V, DC13.5V
 COLOUR TEMPERATURE: 3000K-4000K-6500K
 LUMEN: MAXIMUM 600
 COLOR RENDERING INDEX (CRI): ≥80a



SLIVER

GOLD

BLIACK



•MULTI MODE REGULATION



• LEISURE MODE / WORKING MODE / READING MODE

CUTE CARTOON DESK LAMP

06

CUTE CARTOON EYE PROTECTION TABLE LAMP SERIES



EYE-FRIENDLY DIFFUSED LIGHTING WITH SIDE-EMITTING TECHNOLOGY:
GENTLE & GLARE-FREE ILLUMINATION.
ADORABLE CARTOON LAMPS
ACCOMPANY CHILDREN'S NIGHTLY ROUTINES, SUPPORTING HEALTHY
VISUAL DEVELOPMENT AT EVERY GROWTH STAGE.





BI-1623N

- TOUCH DUAL DIMMING
- 3-LEVEL COLOR TEMPERATURE CONTROL
- SIDE-EMITTING LIGHT SOURCE TECHNOLOGY
- TOUCH-CONTROLLED STEPLESS DIMMING

POWER:10W

VOLTAGE: DC 5V

COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)

LUMEN: MAXIMUM 530

COLOR RENDERING INDEX (CRI): ≥80a



WHITE

YELLOW



THE UNIQUE DESIGN OF CUTE CARTOON SERIES NOT ONLY HAS CARTOON SHAPECUTE APPEARANCE AND CHILDLIKE INTEREST BUT ALSO HAS PROFESSIONAL EYE PROTECTION TECHNOLOGY



CUTE CARTOON EYE PROTECTION TABLE LAMP SERIES



WHITE



YELLOW



BLUE

BI-1623

- PEN HOLDER
- 3-LEVEL COLOR TEMPERATURE CONTROL
- SIDE-EMITTING LIGHT SOURCE TECHNOLOGY
- TOUCHABLE STEPLESS DIMMING


POWER:10W
 VOLTAGE: DC 5V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUN 530
 COLOR RENDERING INDEX (CRI): ≥80a



•DETACHABLE LAMPSHADE



•WITH PEN HOLDER



- WITH LED NIGHT LIGHT
- WITH TIME DISPLAY

DIGITAL TIME CARTOON EYE PROTECTION DESK LAMP

FEATURING FASHIONABLE CARTOON ELEMENTS, THIS VIBRANT LAMP DELIVERS UNIQUE AESTHETICS. PERFECT FOR DESKTOP OR BEDSIDE PLACEMENT, IT ENERGIZES ANY SPACE WITH PLAYFUL VITALITY.



CUTE CARTOON EYE PROTECTION TABLE LAMP SERIES

BI-1624

- REST REMINDER FUNCTION FOR LONGTIME READING
- LED NIGHT LIGHT
- TIME DISPLAY
- 3-LEVEL COLOR TEMPERATURE CONTROL
- DOUBLE DIMMING
- SIDE PANEL LIGHTING

POWER: 10W

VOLTAGE: AC100-240V, DC12V

COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)

LUMEN: MAXIMUM 530

COLOR RENDERING INDEX (CRI): ≥90a



WHITE



PINK



BLUE

CUTE CAT NIGHTLIGHT EYE PROTECTION
DESK LAMP



白色/WHITE

浅黄/YELLOW

蓝色/BLUE

BI-1617-CAT

- REST REMINDER FUNCTION FOR LONGTIME READING
- LUMINOUS PHONE HOLDER
- LED NIGHT LIGHT
- 3-LEVEL COLOR TEMPERATURE CONTROL
- DOUBLE DIMMING
- SIDE PANEL LIGHTING

POWER:10W
 VOLTAGE:AC100-240V, DC12V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 530
 COLOR RENDERING INDEX (CRI): ≥90a



•LUMINOUS PHONE
HOLDER



•WITH LED NIGHT
LIGHT

CUTE CAT NIGHTLIGHT EYE PROTECTION
DESK LAMP

BI-1617-PIG

- REST REMINDER FUNCTION FOR LONGTIME READING
- LUMINOUS PHONE HOLDER
- LED NIGHT LIGHT
- 3-LEVEL COLOR TEMPERATURE CONTROL
- DOUBLE DIMMING
- SIDE PANEL LIGHTING

POWER:10W
 VOLTAGE:AC100-240V, DC12V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 530
 COLOR RENDERING INDEX (CRI): ≥90a



CUTE PIG NIGHTLIGHT EYE PROTECTION DESK LAMP



WHITE



YELLOW



BLUE



•WITH LED NIGHT LIGHT



•LED NIGHTLIGHT

CARTOON NIGHTLIGHT EYE PROTECTION DESK LAMP

FEATURING FASHIONABLE CARTOON ELEMENTS, THIS LAMP DELIVERS UNIQUE AESTHETICS WITH VIBRANT HUES.

IDEAL FOR DESKTOP OR BEDSIDE PLACEMENT, IT INFUSES SPACES WITH PLAYFUL VITALITY.



BI-1631M/BI-1631-G/BI-1631-X

- LED NIGHTLIGHT
- 3-LEVEL COLOR TEMPERATURE CONTROL
- SIDE PANEL LIGHTING SOURCE
- TOUCH STEPLESS DIMMING

POWER:10W

VOLTAGE: DC 5V

COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)

LUMEN: MAXIMUN 530

COLOR RENDERING INDEX (CRI): ≥80a

BI-1631X



BI-1631-X
WHITE




BI-1631-M
PINK



BI-1631-M
BLUE

CUTE CARTOON EYE PROTECTION TABLE LAMP SERIES



•VISUAL TOUCH PANEL



BI-1631G



BI-1631-G
WHITE



BI-1631-G
YELLOW



BI-1631-G
/PINK

BI-1631M



BI-1631-M
PINK



BI-1631-M
BLUE

CUTE BEAR NIGHTLIGHT EYE PROTECTION
DESK LAMP



WHITE

PINK

BLUE

BI-1613

- REST REMINDER FUNCTION FOR LONGTIME READING
- LED NIGHT LIGHT
- 3-LEVEL COLOR TEMPERATURE CONTROL
- DOUBLE DIMMING
- SIDE PANEL LIGHTING

POWER:10W
 VOLTAGE: AC100-240V, DC12V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 530
 COLOR RENDERING INDEX (CRI): ≥90a



•WITH LED NIGHT LIGHT

BI-1629

- REST REMINDER FUNCTION FOR LONGTIME READING
- LED NIGHT LIGHT
- 3-LEVEL COLOR TEMPERATURE CONTROL
- DOUBLE DIMMING
- SIDE PANEL LIGHTING

POWER:10W
 VOLTAGE: AC100-240V, DC12V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 530
 COLOR RENDERING INDEX (CRI): ≥90a



CUTE BEAR NIGHTLIGHT EYE PROTECTION
DESK LAMP



WHITE

PINK

BLUE



•WITH LED NIGHT LIGHT

PROMOTION SERIES

07

NEW PROMOTION SERIES

WE INTRODUCE THE UNIQUE EXECUTIVE COLLECTION—ENGINEERED TO ELEVATE YOUR EFFICIENCY, AESTHETICS, AND BRAND IDENTITY.



SIMPLE BUSINESS EYE PROTECTION
DESK LAMP



BI-1869C
WIRELESS CHARGING IS OPTIONAL

- WIRELESS CHARGING
- NIGHT ILLUMINATION
- 3-LEVEL COLOR TEMPERATURE CONTROL
- ANTI-GLARE SOFT LIGHT SOURCE
- TOUCH DOUBLE DIMMING

POWER: 10W
 VOLTAGE: AC100-240V, DC5V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUN 530
 COLOR RENDERING INDEX (CRI): ≥90a



• WIRELESS CHARGING IS OPTIONAL


LED TWO-COLOR NIGHT LIGHT EYE
PROTECTION DESK LAMP



BI-1125

- DUAL COLOR LED NIGHT LIGHT
- DELAYED LIGHTOFF FUNCTION
- TOUCH DOUBLE DIMMING
- ANTI-GLARE SOFT LIGHT SOURCE

POWER: 10W
 VOLTAGE: AC100-240V, DC5V
 COLOUR TEMPERATURE: 4000K
 LUMEN: MAXIMUN 400
 COLOR RENDERING INDEX (CRI): ≥90a



• DUAL COLOR LED NIGHT LIGHT

SIMPLE AND FASHIONABLE EYE PROTECTION DESK LAMP

BI-1312

- 3-LEVEL COLOR TEMPERATURE CONTROL
- ANTI-GLARE SOFT LIGHT SOURCE
- TOUCHABLE STEPLESS DIMMING

POWER:10W
 VOLTAGE:AC100-240V, DC5V
 COLOUR TEMPERATURE: 3000K-3800K-5700K (±300K)
 LUMEN: MAXIMUM 530
 COLOR RENDERING INDEX (CRI): ≥90a



WHITE

BLUE



•MULTI ANGLE ADJUSTMENT OF JOINTS



•TEXTURE ADJUSTMENT BUTTON

RECHARGEABLE MINIMALIST EYE PROTECTION DESK LAMP



WHITE



BLUE

BI-1864L (TYPE C CHARGING PORT)

- TYPE C CHARGING PORT
- WITH NIGHT ILLUMINATION
- 3-LEVEL COLOR TEMPERATURE CONTROL
- ANTI-GLARE SOFT LIGHT SOURCE
- TOUCHABLE STEPLESS DIMMING

POWER:10W
 VOLTAGE: DC 12V
 COLOUR TEMPERATURE: 3000K-4000K-6500K (±300K)
 LUMEN: MAXIMUM 480
 COLOR RENDERING INDEX (CRI): ≥90a



•VISUAL TOUCH PANEL

ANORA



ANORA LIGHTING
Official Web Site

<https://anoralighting.com>